



Using machine learning method for classification body mass index of people for clinical decision

Firouz Amani¹, Alireza Mohammadnia², Paniz Amani³, Soheila Abdollahi-Asl⁴, Mohammad Bahadoram^{5*}

Abstract

Introduction: Body mass index (BMI) is an acceptable method to measure overweight and obesity among the population.

Objectives: The aim of this study was evaluating the application of machine learning algorithms for classifying body mass index for clinical purposes.

Patients and Methods: In this descriptive study, we selected the dataset of 1316 people who selected randomly from all area of Ardabil city in Iran. Dataset included demographic and anthropometric data. Classification algorithms such as random forest (RF), Gaussian Naive Bayes (GNB), decision tree (DT), support vector machines (SVM), multi-layer perceptron (MLP), K-nearest neighbors (KNN) and logistic regression (LR) with 10-fold cross-validation were conducted to classify the data based on BMI. The performance of algorithms was evaluated with precision, recall, mean squared errors (MSE) and accuracy indices. All programming done by Python 3.7 in Jupyter Notebook.

Results: According to the BMI, 603(45.8%) of all samples were normal and 713 (54.2%) were at-risk. The precision of RF, GNB, DT, SVM, MLP, KNN and LR for people at risk were 0.93, 0.86, 0.99, 0.82, 100, 0.82 and 0.99 respectively. Additionally, the accuracy of RF, GNB, DT, SVM, MLP, KNN and LR were 95%, 83%, 100%, 82%, 100%, 82% and 100 %.

Conclusion: The comparison of the classifying algorithms showed that, the LR, MLP and DT had the higher accuracy than the other algorithms in detecting of people at-risk.

Keywords: Body mass index, Machine learning, Classification, Algorithm

Citation: Amani F, Mohammadnia A, Amani P, Abdollahi-Asl S, Bahadoram M. Using machine learning method for classification body mass index of people for clinical decision. J Ren Endocrinol. 2022;8:e17072 doi: 10.34172/jre.2022.17072.

Copyright © 2022 The Author(s); Published by Nickan Research Institute. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Introduction

Obesity and overweight are complex, multifactorial and major public health problems world-wide which could affect people in all age groups and increase the risk of several diseases among people (1,2). Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of his height in meters (kg/m^2). This index is conducted to measure obesity and overweight and to detect people at risk of obesity and overweight (3). According to the WHO reports, BMI less than $25 \text{ kg}/\text{m}^2$ is considered normal, and more than $25 \text{ kg}/\text{m}^2$ is at-risk of overweight and obesity.

The population with obesity and being overweight are increasing in the developed and developing countries, in a remarkable momentum, and it is estimated that by 2030 due to several factors, up to 57.8% of the world's elderly people would suffer from being overweight or obese (5,6).

Objectives

The aim of this study was to investigate the validity and accuracy of classifying the BMI by using various machine

learning algorithms.

Patients and Methods

Data collection method and dataset

Our dataset is from the data that was used in an obesity and overweight research which had been conducted by Ardabil University of Medical Science. Part of the data was published in a paper by Amani et al (7). The used dataset included the BMI of 1316 people of Ardabil city in the year 2019. A detailed clarification of this dataset is given in Table 1.

Machine learning strategies

For this study we used seven classification machine learning algorithms included; Random Forest (RF), Gaussian Naive Bayes (GNB) classifier, Decision Tree (DT), support vector machine (SVM), Multi-layer Perceptron (MLP), K-nearest neighbors (KNN) and Logistic Regression (LR). We applied 10-fold cross-validation and holdout to trained and evaluated training datasets.

Logistic regression is a machine learning technique for

Received: 26 June 2022, Accepted: 23 August 2022, ePublished: 27 August 2022

¹Department of Community Medicine, School of Medicine, Ardabil University of Medical Science, Ardabil, Iran. ²Department of Basic Science, School of Medicine, Ardabil University of Medical Science, Ardabil, Iran. ³Student in Electronic Engineering, Tabriz University, Tabriz, Iran. ⁴Ardabil Azad University, Ardabil, Iran. ⁵Thalassemia and Hemoglobinopathy Research Center, Health Research Institute, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran.

*Corresponding Author: Mohammad Bahadoram, Email: mohammadbahadoram@yahoo.com, bahadoram.m@ajums.ac.ir

■ Implication for health policy/practice/research/medical education

In this study, we evaluated the accuracy of applying machine-learning methods in classification of BMI which can be conducted for clinical decision makings.

regression and classification problems which assigns observations to a discrete set of classes.

Gaussian naive bayes classifier is a group of simple classifiers based on probabilities created assuming the independence of random variables and is based on Bayes theorem.

Decision tree: A DT is a map of possible results of a series of related choices or options therefore it allows an individual or organization to weigh possible actions in terms of costs, opportunities and benefits.

Support vector machine is classified as a pattern recognition algorithm. The SVM algorithm can be used wherever there is a need to identify patterns or classify objects in specific classes.

Multi-layer perceptron: the artificial neural network creates a structure similar to the biological structure of the human brain and neural network to be able to learn how to generalize and make a decision.

Random forest is a combined learning method for regression classification, which works on the training time and class output (classification) or predicting each tree separately, based on a structure consisting of a large number of DTs.

K-nearest neighbors: In statistics, the KNN algorithm is a non-parametric classification method first developed by Evelyn Fix and Joseph Hodges in 1951, and later expanded by Thomas Cover. It is used for classification and regression.

Data preprocessing

Data preprocessing is necessary to prepare the BMI data in a manner that a machine learning model can accept, so the dataset was divided into two training and test data categories. Separating the training and the testing datasets ensures that the model learns only from the training data, and tests its performance with the testing data. The training data contain 80% of the total dataset and the test and validation data contain 20% each with 10-fold -validation.

Machine learning model selection

Seven classification algorithms such as RF, GNB, DT, SVM, MLP, KNN and LR were applied and used to train and evaluate training datasets.

Variable selection

Feature selection strategy for classification model was selecting a minimally sized subset according to the following criteria: (a) Increasing the classification accuracy and (b) The values for the selected features should be as close as possible to the original class distribution. All features are listed in Table 2. The response variable in dataset of our study was BMI of patients which was defined as a person's weight in kilograms divided by the square of his height in meters (kg/m^2) and divided into two classes; Normal ($18.5 \leq \text{BMI} < 25$) and at-risk ($25 \leq \text{BMI}$).

Model assessment

The confusion matrix which included TP, FP, FN and TN was used to determine the relationship between actual values and predicted values. Table 3 shows the structure of confusion matrix.

We compared the classification performance of all ML algorithms by using accuracy, precision, recall (sensitivity), F1-score and mean squared errors (MSE) indices.

True positives (TP) and true negatives (TN)] represent the number of true positive or true negative samples. Accuracy is a statistical measure which is defined as the quotient of correct predictions (both TP and TN) made by a classifier divided by the sum of all predictions made by the positive cases, i.e. the correctly and the incorrectly cases predicted as positive.

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$

Precision is the ratio of the correctly identified positive cases to all the predicted positives.

$$\text{Precision} = \frac{TP}{TP + FP}$$

Recall, also known as sensitivity, is the ratio of the correctly identified positive cases to all the actual positive cases, which is the sum of the "false negatives" and "true classifier, including false positives (FP) and false negatives (FN).

Table 2. Features of obesity type dataset

Feature	Class	Type
Gender	2 class [1, 2]	Integer
Age (y)	20-49	Integer
Waist-to-hip ratio	0-2.27	Integer
Waist circumference (cm)	45-160	Integer
Hip circumference (cm)	37-160	Integer
Height (cm)	110-194	Integer
Weight (kg)	43.5-111	Integer
BMI (kg/m^2)	2 class [1, 2]	Integer

Table 1. Description of the BMI datasets

Dataset	Sample size	Feature size including class label	Classes	Presence of missing attribute	Presence of noisy attributes
BMI	1316	8	2	No	No

Table 3. Structure of confusion matrix

		Actual values	
		Negative	Positives
Predicted values	Negative	True Positives (TP)	False Positives (FP)
	Positives	False Negatives (FN)	True Negatives (TN)

$$\text{Recall(Sensitivity)} = \frac{\text{TP}}{\text{TP} + \text{FN}}$$

Also, F1-score index is calculated as the following:

$$\text{F1-score} = 2 * \frac{\text{Precision} * \text{Recall}}{\text{Precision} + \text{Recall}}$$

Statistical analysis

In this dataset, we used the descriptive statistical method in SPSS version 21. Additionally, we used Python 3.7 and Jupyter Notebook and skit-learn commands for programming and then conducting the ML algorithms.

Results

Patient's characteristics

Of all the studied population, 686 (52.1%) were men and 630 (47.9%) were women. The mean age of the participants was 28.5±7.4 years old (range 20 to 49). All of the participants were from urban community of Ardabil city (Table 4).

Performance of the machine learning algorithms

In these ML models, we predicted the whole dataset using 10-fold cross-validation and evaluated the performance on classifying the BMI by measuring accuracy, precision (positive predictive value), recall (sensitivity) and F1-score indices. Figure 1 shows the performance of the

Table 4. Demographic characteristics of the participants (n=1316)

Variables	Groups	n	%
Age, years (28.5±7.4, range: 20-49)	20-30	831	63.1
	30-40	343	26.1
	>40	142	10.8
Gender	Female	630	47.9
	Male	686	52.1
Waist-to-hip ratio	Healthy	984	74.8
	At-risk	332	25.2
BMI, k/m ² (26.1±4.5, range:18.5-51.2)	Normal	603	45.8
	At-risk (non-normal)	713	54.2
Weight (kg)		68.9±11.7	
Height (m)		162.6±8.6	

predictive model using different data mining algorithm techniques. As shown in Figure 1, the LR and MLP with 100% and RF with 97% had the highest sensitivity than other algorithms. In addition, the algorithms DT, LR and MLP with 100% had the highest accuracy rate than others in the classification of people based on BMI data.

Discussion

The main goal of this study was evaluating the efficacy of ML algorithms and techniques in BMI data, which we used various machine learning (ML) algorithms to improve the classification of at-risk people based on BMI data which could be provided significant insights compared with traditional statistical models.

Among all ML models, DT, LR and MLP showed higher performance than the others. Similar to this study, Wu et al in a study on fatty liver disease using machine learning algorithms showed that among studied algorithms, the RF model showed higher performance than other




Figure 1. Comparison performance of different machine learning algorithms on classification of people based on BMI data by holdout and 10-cross validation method. Note: RF = Random forest, SVM = Support vector machine, MLP = Multi-layer perceptron, KNN = K-nearest neighbors, LR= Logistic regression, DT = Decision tree classifier, GNB = Gaussian Naive Bayes.

classification models; however had some difference with our study results (8).

To our knowledge, this is the first population-based study used various machine learning algorithms to detect at-risk people based on BMI data. There are many kind of machine learning algorithms have been developed, and along with the most popular Bayesian algorithm, and LR, it is hard to make a proper algorithm for clinical decision makings and clinical practices (9). Therefore, along with the easiness in application, the performances of different algorithms should be considered. Our model could effectively detect at-risk people based on BMI data without using advanced methods (10).

The increasing health issues related to obesity and overweight make a remarkable need of data gathering and risk predicting based on the BMI (11). Therefore, it is an opportunity to apply machine learning algorithms to classify individual patients in medical practice, treat them, and control their future possible consequences. Using various machine learning prediction models, let the physicians and the health staff be able to extract the minimum necessary data to make a precise decision about people with normal and non-normal BMI (12).

Lee et al in a previous study showed that accuracy percentage of ML method ranged from 60.4% to 73.8%, which was lower than our results; in our study the accuracy percentage ranged from 82% to 100% (13).

Uddin et al in a study comparing different supervised machine learning algorithms for disease prediction, showed that among of all the ML algorithms, the algorithm RF had the highest accuracy comparing with other algorithms. However, their study was not in line with our study results because in our study we found that the best accuracy is related to the other algorithms such as DT, LR and MLP each with 100% accuracy (14).

Accordingly, Ilyas et al, showed that machine learning techniques can be effective in the diagnosis of kidney disease. Of all used machine learning algorithms, the most accuracy among all ML algorithms was related to the SVMs algorithm with 0.97. In our study the accuracy of SVMs algorithm among all of the applied ML algorithms was 0.82 which was lower than the study by Ilyas et al rate (15).

Conclusion

In this study, seven machine learning techniques were used to classify healthy people from at-risk people based on BMI data. All the algorithms worked with a reasonable accuracy and speed. However, the DT, LR and MLP algorithms showed maximum precision and minimum errors among all algorithms and also, these algorithms showed better performance than other ML classification techniques. This prediction outcome has the potency to help clinicians and health system staff to make more precise and meaningful decisions about people at-risk of overweight and obesity to provide a plan for decreasing

their risk of diseases and change their bad life style in comparison with healthy people.

Limitations of the study

We have not any limitation in this study.

Authors' contribution

FA and MB help in Writing—Original Draft Preparation, Methodology, data curation and formal statistical analysis. AM help in ML programming, validation and visualization. PA and SA help in project administration and investigation.

Conflicts of interest

The authors declare that they have no competing interests.

Ethical issues

The research followed the tenets of the Declaration of Helsinki. The Ethics Committee of Ardabil University of Medical Sciences approved this study (IR.ARUMS.REC.1399.289). Accordingly, written informed consent was taken from all participants before any intervention. Besides, ethical issues (including plagiarism, data fabrication, double publication) have been completely observed by the authors.

Funding/Support

This work was supported by the Ardabil University of Medical Sciences (Grant#289).

References

- Jafari-Adli S, Jouyandeh Z, Qorbani M, Soroush A, Larijani B, Hasani-Ranjbar S. Prevalence of obesity and overweight in adults and children in Iran; a systematic review. *J Diabetes Metab Disord*. 2014 Dec 23;13:121. doi: 10.1186/s40200-014-0121-2.
- Hruby A, Hu FB. The Epidemiology of Obesity: A Big Picture. *Pharmacoeconomics*. 2015;33:673-89. doi: 10.1007/s40273-014-0243-x.
- Yang L, Liu J, Xing Y, Du L, Chen J, Liu X, et al. Correlation of Body Mass Index and Waist-Hip Ratio with Severity and Complications of Hyperlipidemic Acute Pancreatitis in Chinese Patients. *Gastroenterol Res Pract*. 2017;2017:6757805. doi: 10.1155/2017/6757805.
- WHO. Obesity and overweight – Fact Sheets 16 February 2018. <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>.
- Misra A, Khurana L. Obesity and the metabolic syndrome in developing countries. *J Clin Endocrinol Metab*. 2008;93:59-30. doi: 10.1210/jc.2008-1595.
- Kelly T, Yang W, Chen CS, Reynolds K, He J. Global burden of obesity in 2005 and projections to 2030. *Int J Obes (Lond)*. 2008;32:1431-7. doi: 10.1038/ijo.2008.102.
- Amani F, Tabrizian S, Zakeri A, Pirzadeh A, Zeynizadeh S. Using Multinomial Logistic Regression for Modeling Obesity and Overweight Among People in Urban Area of Ardabil City, Ardabil, Iran. *JBE*. 2020;6(3):170-178. doi: 10.18502/jbe.v6i3.5100.
- Fattahzadeh-Ardalani G, Masoumi R, Amani F, Zakeri A. Prevalence of overweight and obesity among high school girls in Ardabil, Iran. *Int J Adv Med* 2017;4:486-489. doi: 10.18203/2349-3933.ijam20171047.
- Pourfarzi F, Sadjadi A, Poustchi H, Amani F. (2021). Prevalence of overweight and obesity in Iranian population: A population-based study in northwestern of Iran. *J Public Health Res*. 2021;11(1):2475. doi: 10.4081/jphr.2021.2475.
- Hosseinpahan F, Barzin M, Eskandary PS, Mirmiran P, Azizi

- F. Trends of obesity and abdominal obesity in Tehranian adults: a cohort study. *BMC Public Health*. 2009;9:426. doi: 10.1186/1471-2458-9-426.
11. Bala M, Meenakshi, Aggarwal S. Correlation of Body Mass Index and Waist/Hip Ratio with Glycated Hemoglobin in Prediabetes. *EJIFCC*. 2019;30:317-324.
 12. Ghazali ASM, Zalila A, Mohd Noor N, Baharum A. Multinomial logistic regression modelling of obesity and overweight among primary school students in a rural area of Negeri Sembilan. *AIP Conference Proceedings* 2015;1682:050006. doi: 10.1063/1.4932497.
 13. Lee BJ, Ku B, Jang JS, Kim JY. A novel method for classifying body mass index on the basis of speech signals for future clinical applications: a pilot study. *Evid Based Complement Alternat Med*. 2013;2013:150265. doi: 10.1155/2013/150265.
 14. Uddin S, Khan A, Hossain ME, Moni MA. Comparing different supervised machine learning algorithms for disease prediction. *BMC Med Inform Decis Mak*. 2019;19:281. doi: 10.1186/s12911-019-1004-8.
 15. Ilyas H, Ali S, Ponum M, Hasan O, Mahmood MT, Iftikhar M, et al. Chronic kidney disease diagnosis using decision tree algorithms. *BMC Nephrol*. 2021;22:273. doi: 10.1186/s12882-021-02474-z.